

Opel/Vauxhall ASTRA (OV5) 5-ДВЕРНОЙ STATION 1.2 PureTech 131 (EB2ADTS Euro 6.4) 6-СТУПЕНЧАТАЯ STT TYPE MANUAL 03/12/2025

Product group	ASTRA (OV5)
APV/PR missing	17615 RL 1 0148
Warranty start date	12.03.2025
Engine serial number	10 TMAF 0166986
OPB	D014
NRE	e2*2007/46*0628*33
P4A	9840469499

general information

Meaning	Designation
PRODUCT TYPE	CAR
BRAND MARK/COMPONENT TYPE	OPEL
MODEL RANGE	ASTRA (OV5)
BODY	5-ДВЕРНОЙ station wagon
FINISH LEVEL	Super average
ENGINE	EB2ADTS UE64 1.2 L GASOLINE
TRANSMISSION	6-SPEED MANUAL TRANSMISSION TYPE STT
PAINT TYPE	IMPORT TYPE. Metalliz finishes. Varnish
BODY COLOR	GRAY ENAMEL PLATINIUM
TYPE OF INTERIOR FINISH	ARTIFICIAL SUEDE "POLE STAR" «F4»
UPHOLSTERY COLOR	"FX"
GEARBOX (TECHNICAL SPECIFICATIONS)	MB6FM
ORGANIZATION OF CONVERSION	WITHOUT CONVERSION
UPCOMING FINISH	ORIGINAL RANGE
ENGINE (TYPE)	EB type engine
Roof (view from the outside)	Black roof perla nra
EMBLEMS	Without emblem

Vehicle characteristics

Meaning	Designation
FINISH LEVEL	Super average
PAINT TYPE	IMPORT TYPE. Metalliz finishes. Varnish
BODY COLOR	GRAY ENAMEL PLATINIUM
TYPE OF INTERIOR FINISH	ARTIFICIAL SUEDE "POLE STAR" «F4»
UPHOLSTERY COLOR	"FX"
GEARBOX (TECHNICAL SPECIFICATIONS)	MB6FM
Roof (view from the outside)	Black roof perla nra

Fuel supply system

Meaning	Designation
ENGINE	EB2ADTS UE64 1.2 L GASOLINE
Type battery	Without a traction battery

Meaning	Designation
WATER SENSOR IN DIESEL FUEL CLEANING FILTER	WITHOUT DIESEL FUEL FILTER WATER SENSOR
FUEL	UNLEADED GASOLINE 95 QUALITY A/B/E/E+
EXHAUST GAS EMISSION STANDARD (ENGINE)	EURO 6.4 ENGINE EMISSION REDUCTION SYSTEM
FASTENING ELEMENTS OF THE FUEL SUPPLY PIPE	STANDARD FUEL SUPPLY PIPE FASTENING ELEMENTS
ENGINE (TYPE)	EB type engine
POWER	1200 CM3
FUEL TANK	FUEL TANK WITHOUT KEY
Fuel tank isolation material	Without covering the fuel tank
COOLING MOTOR	Radiator 28DM2
HEATING THE CRANKCASE GAS PATH	Without a gas circuit, the corpus.
ENGINE POWER ADJUSTMENT RANGE	POWER 96 kW 230 Nm
SPECIFIC SOUND OF POWER UNIT	WITHOUT ACOUSTIC ISOLATION OF THE POWER UNIT
ON-BOARD SELF-DIAGNOSTICS SYSTEM EOBD	WITH ON-BOARD AUTO DIAGNOSTICS
EMISSION CONTROL SYSTEM DEVICE	WITHOUT CLEANING DEVICE
TECHNICAL TOOLS FOR ENVIRONMENTAL PROTECTION	CAR WITH EURO 6.4 EMISSION STANDARD
PARTICULATE FILTER	WITH PARTICLE FILTER
FAN	1 2-SPEED 95W AERO VOLET DYNAMIQUE FAN
INJECTION SYSTEM CONFIGURATION OPTIONS	Delphi injection system
POWER UNIT	TRACTION CIRCUIT WITH ICE
FUEL TANK FILTER	TANK FILTER INTERNAL
STOP AND START SYSTEM	WITH STOP AND START SYSTEM

Gearbox - Transmission

Meaning	Designation
TRANSMISSION	6-SPEED MANUAL TRANSMISSION TYPE STT
GEARBOX (TECHNICAL SPECIFICATIONS)	MB6FM
FINAL DRIVE RATIO	PAIR OF BRIDGES 17 X 73
WHEEL STYLE	ADMIRAL 16" ALUMINUM ALLOY WHEELS
GRIP	FLUID COUPLING
SEAL, From the wheel	Laying from the wheel side RZ17.5 D26
SEAL, On the part of the main program	Laying from the side of the bridge JB2T D26
TIRE/WHEEL SIZE	Installation 16-ДЮЙМОВЫХ tire
TIRES (TYPE, SIZE)	TIRE 205/55 R16 94V -3PMSF REINFORCED
DRIVING WHEELS	2 DRIVE WHEELS
WHEEL (TYPE)	ALLOY WHEEL ASSEMBLY 1
LOW TIRE PRESSURE INDICATOR	INDIRECT DETECTION OF TIRE PRESSURE LOSS WITHOUT LOCALIZATION
GEARBOX TYPE	BOX TYPE MB6

Suspension Steering Brake system

Meaning	Designation
BRAKING ASSIST IN REVERSE GEAR	COLLISION WARNING - RCTA
REAR STABILIZER ROLL BAR	The rifle rod stabilizer rift stability with a stiffness of 35000 N.M/Rad
ANTI-THEFT DEVICE	ANTI-THEFT WITH AN ELECTRONIC IGNITION LOCK
FRONT STABILIZER ROLL BAR	FRONT STABILIZER ROLL BAR, Tighting 30000 N.M/Rad

Meaning	Designation
BRAKE TYPE	VENTILATED FRONT DISCS/REAR DISCS
SUSPENSION	CONVENTIONAL SUSPENSION
DYNAMIC STABILITY SYSTEM	ELECTRONIC STABILIZATION PROGRAM
BRAKE CONFIGURATION OPTIONS	ESP BOSCH 9.3 HSM
STEERING (OPERATION PRINCIPLE)	ELECTRIC POWER STEERING LOW POWER WITH 1 GEAR V3 VC3
PEDAL BRACKET (TYPE)	SIMPLE STANDARD PEDAL UNIT

Body Equipment

Meaning	Designation
TOWING SYSTEM	PREPARATION FOR ATTACHING THE COUPLING DEVICE
SOUND SIGNALS	Standard sound signal
SIDE MOLDING (DIMENSIONS)	WITHOUT PROTECTIVE ELEMENTS IN THE LOWER PART OF THE BODY
DECORATIVE ELEMENTS OF WHEELS (STYLE)	Small decorative cap Opel
UNDER SCREEN	Protection Long deflector under the floor in front on the right to the left
REVERSE LIGHTS	WITH 1 TAIL LIGHT
ADDITIONAL SCREEN (UNDER ENGINE)	WITHOUT ENGINE CRANKCASE PROTECTION
RETAINERS FOR SECURING LOAD OUTSIDE THE BODY (ATCHES)	WITHOUT EXTERNAL TOWING EYE
OUTSIDE MIRROR FUNCTION	EL.FOLDABLE ROOF,AIR CONDITIONING+PSG+DIODE+MAR+MEMORY
SOUND INSULATION OF ENGINE COMPARTMENT	SOUND INSULATION SHIELD+BOTTOM+D+ISOVAC+WHEEL ARCH
Roof (view from the outside)	Black roof perla nra
WINDSCREEN (TYPE)	Warmed windshield
BUMPER	FRONT/REAR BUMPER BODY COLOR/INSERT + MOLDING + BLACK SHOE
LICENSE PLATE	WITHOUT STATE NUMBER
TRUNK GRILL	WORKSHOP. WITH LUGGAGE RAILS ON ROOF
FRONT FOG LAMP	LED FOG LIGHTS
PANORAMIC VIEW ASSIST SYSTEM	PANORAMIC VIEW OF VISIO PARK 360
External rear -view mirror (from the driver)	Heater, Zzerk. Zad.vida with internal, UPR.
External rear -view mirror (from the passenger)	OBOGR NEARUZH.PASSSSAZH.ZAD.WIDA,EL.UPR.
SPARE WHEEL	WITHOUT SPARE WHEEL
LUKE	VENT. LUKE, DUAL MODE BUTTON. CONTROL+PROT
GLASS (APPEARANCE)	Tinted glass + highly tinted
ENTRY AND STARTING THE ENGINE WITHOUT USING A KEY	VEHICLE ACCESS+TRUNK+CONTACTLESS START

Internal equipment

Meaning	Designation
TYPE OF INTERIOR FINISH	ARTIFICIAL SUEDE "POLE STAR" «F4»
ANTI-THEFT ALARM	WITHOUT ANTI-THEFT ALARM
FRONT SEAT HEAD RESTRAINT	FRONT HEAD REST WITH 4-WAY ADJUSTMENT
BACKSEAT	SINGLE REAR SEAT FX+BACK 40/20/40 DVRCOF
DEAD SPOT DETECTION	BLIND SPOT MONITORING + BLIND SLOT ASSISTANCE
REAR SEAT ARMREST	WITH REAR SEAT ARMREST

Meaning	Designation
INTERIOR ALARM	WITHOUT SIGNALING ABOUT LIGHTS ON
RADIO PHONE	2 SMARTPHONES
LUGGAGE COVER	GLASS
CLIMATE (AMBIENT AIR TEMPERATURE)	COUNTRIES WITH COLD CLIMATES
AIR CONDITIONING UNIT	Air conditioner with Aero+Release+End. Output
SAFETY LATCH FOR CHILD SAFETY	MANUAL REAR CHILD LOCK
GRADATION ON SPEEDOMETER	SPEEDOMETER CALibration IN KM/H
GEAR SHIFT LEVER	SWITCHING GEARS ON THE CONTROL PANEL
CONSOLE	BLACK GLITTER TRIM+REAR DUCT
POSITION WHILE DRIVING	Left-hand traffic
ADDITIONAL HEATER	WITHOUT ADDITIONAL HEATER
MIRROR LINK	WITH MIRROR LINK FUNCTION
CARGO PLATFORM LIGHTING	GLOVE BOX LED LIGHT
INSTRUMENT PANEL EQUIPMENT	YELLOW PROTECTION BAR
INSTRUMENT PANEL (CHARACTERISTICS)	DIGITAL TFT INSTRUMENT PANEL 10 INCH
CHILD SEAT ATTACHMENT POINTS	2 ISOFIX + 2 TOP TETHER REAR
DYNAMIC	WORKSHOP. 2 ПЕР.ГПОМКОГ.+2 per.
DUST FILTER	C+ACTIVE CH+THIN PART+GAS
Help in maintaining the trajectory	LPA WITHOUT DELEGATION HIA
ADJUSTING THE HEIGHT OF THE FRONT SEAT ON THE PASSENGER SIDE	RUCHN. REGULATION. SEAT HEIGHTS FRONT. PASSENGER + ELECTRIC. REGULATION. NARRATIVE. BEFORE. CUSHIONS
DRIVER'S SEAT ADJUSTMENT SWITCH	WITH MEMORY+ADJUSTABLE ELECTRIC CUSHION EDGE
PASSENGER SEAT ADJUSTMENT SWITCH	El-drive seats Passage + Club adjustment
ADJUSTING THE DRIVER'S SEAT	Driver with electric. Adjusting the lumbar backup
ADJUSTING THE FRONT PASSENGER SEAT	Electropnematic lumbar of the front passenger seat
Elements of the upholstery of the salon	INTERNAL ROOF TRIM MISTRAL
FRONT SEAT ARMREST	EQUIPMENT WITH ARMREST
CD	NO COMPACT DISC
SATELLITE NAVIGATION SYSTEM	NAVIGATION SYSTEM WITH INTERNET CONNECTION
HEADLAMPS	LED LAMP
REAR DOOR WINDOW	GLASS PODE. REAR WINDOW WITH SEQUENTIAL CONTROL
TRAFFIC DRIVER INFORMATION SYSTEM	LKA STRUCTURAL PANEL
DISPLAY	DISPLAY 10 INCH COLOR HD GLOSSY TOUCH
MIRROR ON SUN VISOR	DRIVER MIRROR + PASSENGER MIRROR WITH LED LIGHTING
Support for the leg	Driver legs stands
HEATING ELEMENT	ELECTRIC HEATED SEATS FOR DRIVER AND PASSENGER R1
FOOTROOM LIGHTING	WITHOUT LOWER LIGHTING
REAR SEAT PROTECTION	WITHOUT REAR PASSENGER PROTECTION
HEADLIGHT ADJUSTMENT SYSTEM	AUTOMATIC HEADLAMP ADJUSTMENT
WIFI	NO WIFI
RADIO	ANALOG RADIO + DAB
AIR CONDITIONING SYSTEM	AUTOMATIC AIR CONDITIONING
CRUISE CONTROL	ACC2 DECEL30

Meaning	Designation
ADJUSTING THE DRIVER'S SEAT HEIGHT	MANUAL ADJUSTMENT OF FRONT HEIGHT. DRIVER SEAT CUSHION EDGE+ELECTRIC HEIGHT ADJUSTMENT
INTERIOR REAR VIEW MIRROR	Inner rear -view mirror with an electric chronic coating without a frame
TEMPERATURE ADJUSTMENT/AIR CONDITIONING CONTROL	DUAL ZONE CLIMATE CONTROL SYSTEM
CARGO PLATFORM	REMOVABLE FLOOR + TRUNK NET
RADIO TUNER	DUAL RADIO TUNER
OBSTACLE DETECTION SYSTEM	FRONT. REAR. OBSTACLE DETECTION RADAR + TRAJECTORY
LOW TIRE PRESSURE INDICATOR	INDIRECT DETECTION OF TIRE PRESSURE LOSS WITHOUT LOCALIZATION
FINISH ADAPTATION	POLYCHROME HANDLE + CHROME INSERT + FABRIC COVER WITH STITCHING
EQUALIZER, AMPLIFIER	WITHOUT AMPLIFIER WITH EQUALIZER
RADIO FREQUENCY	RADIO FREQUENCY AMT6_FMT4-50-DIAFTAPSTMC_DABT1
LOCKING SYSTEM CONTROL	SIMPLE + AUTOMATIC LOCKING
STEERING WHEEL	STEERING WHEEL FINISHED IN PERFORATED LEATHER, INSERT GT
FAN	1 2-SPEED 95W AERO VOLET DYNAMIQUE FAN
SEATING OPTIONS	OPTION WITH LOW SEAT
ADDITIONAL CONNECTOR FOR AUDIO DEVICE CONNECTION	ADDITIONAL AUDIO PACK 1 USB TYPE C CONNECTOR
TELECOMMUNICATION UNIT	AUTONOMOUS UNIT OF TELECOMMUNICATION SYSTEM

Electrical equipment

Meaning	Designation
ALTERNATOR	GENERATOR CLASS 15 UHEA
SOUND SIGNALS	Standard sound signal
Battery (connection)	STANDARD
BATTERY	Akb L3 760 70 70 grandch 760 en efbc
STARTER	STARTER STTD
CARGO PLATFORM LIGHTING	GLOVE BOX LED LIGHT
REVERSE LIGHTS	WITH 1 TAIL LIGHT
OUTSIDE MIRROR FUNCTION	EL.FOLDABLE ROOF,AIR CONDITIONING+PSG+DIODE+MAR+MEMORY
OPERATING FREQUENCY OF THE CENTRAL LOCKING REMOTE CONTROL	The frequency of superheterodine 433.92 MHz
HEADLAMPS	LED LAMP
Battery charger	Without installed charger
MULTIPLEX COMMUNICATION	NEA R1
Shtepsel connector for charging an electric car	Without car loading sensor
FOOTROOM LIGHTING	WITHOUT LOWER LIGHTING
Battery charge measurement	THE SYSTEM MEASURED THE CHARGE LEVEL OF THE 4th GENERATION BOSCH BATTERY
FRONT FOGLAMP	LED FOG LIGHTS
HEADLIGHT ADJUSTMENT SYSTEM	AUTOMATIC HEADLAMP ADJUSTMENT
TURNING ON THE LIGHTS	AUTOMATIC LIGHT TURN ON + ADAPTIVE SWITCHING

Equipment brands

Meaning	Designation
BRAKE CONFIGURATION OPTIONS	ESP BOSCH 9.3 HSM
INJECTION SYSTEM CONFIGURATION OPTIONS	Delphi injection system

Miscellaneous

Meaning	Designation
SPECIAL CHARACTERISTICS	STANDARD
CHANGES, PRODUCED IN MODEL YEAR	Without small modifications
POWER ELECTRICAL CONNECTOR	WITHOUT POWER CONNECTOR
HEAT PUMP, SPECIALIZATION	WITHOUT HEAT PUMP, SPECIALIZATION
CAPACITOR (CHARACTERISTICS)	CONDENSER 19.3DM2 THICKNESS 12
WEATHER CONDITIONS	ORDINARY ATMOSPHERE
POSITION WHILE DRIVING	Left-hand traffic
VIN PLATE	EUROPEAN UNION DATA PLATE + NRE
STICKER	WITHOUT LABEL
AIR CONDITIONING PIPING	AIR CONDITIONING PIPING USING IHX TECHNOLOGY
CONNECTOR FOR CONNECTING RADIOTELEPHONE HEADPHONES	DOUBLE SOCKET FOR ACCESSORIES
DRIVING SIDE	Right-hand traffic
SET OF KEYS	KEY SET WITH LOCK+SPARE KEY
REFRIGERANT	COOLANT 1234 YF
EMERGENCY EQUIPMENT	NO BACKUP EQUIPMENT
Shtepsel connector for charging an electric car	Without car loading sensor
ROAD CONDITIONS	FLAT ROAD
SPEED MONITORING	WITHOUT SPEED CONTROL